

XB2B/E

系列按钮指示灯

快速选型样本










XB2B 金属系列按钮指示灯





Ø22 mm

按钮

弹簧复位按钮

说明	标记 颜色	触点类型		型号	重量	尺寸
		常开	常闭			
 XB2BA...C	平头按钮	○	1	XB2BA11C	0.070	
		●	1	XB2BA21C	0.070	
		●	1	XB2BA31C	0.070	
		●	1	XB2BA51C	0.070	
		●	1	XB2BA61C	0.070	
		●	1	XB2BA22C	0.070	
		●	1	XB2BA42C	0.070	
 XB2BL...C	凸头按钮	●	1	XB2BL21C	0.070	
		●	1	XB2BL31C	0.070	
		●	1	XB2BL51C	0.070	
		●	1	XB2BL61C	0.070	
		●	1	XB2BL22C	0.070	
		●	1	XB2BL42C	0.070	
 XB2BP...C	带罩按钮	●	1	XB2BP21C	0.070	
		●	1	XB2BP31C	0.070	
		●	1	XB2BP51C	0.070	
		●	1	XB2BP61C	0.070	
		●	1	XB2BP42C	0.070	
 XB2BC...C	蘑菇头按钮 Ø40 mm	●	1	XB2BC21C	0.090	
		●	1	XB2BC31C	0.090	
		●	1	XB2BC51C	0.090	
		●	1	XB2BC61C	0.090	
		●	1	XB2BC42C	0.090	
 XB2BR...C	蘑菇头按钮 Ø60 mm	●	1	XB2BR21C	0.095	
		●	1	XB2BR42C	0.095	

带功能符号的弹簧复位按钮




说明	标记 颜色	触点类型		型号	重量	尺寸
		常开	常闭			
 XB2BA.....C	平头按钮	●	1	XB2BA3311C	0.070	
		⬆	1	XB2BA3341C	0.070	
		⬆	1	XB2BA3351C	0.070	
		●	1	XB2BA4322C	0.070	
		●	1	XB2BA4342C	0.070	
 XB2BL.....C	凸头按钮	●	1	XB2BL4322C	0.070	
		●	1	XB2BL4342C	0.070	

XB2B 金属系列按钮指示灯

Ø22 mm


急停按钮

锁扣式蘑菇头“紧急停止”按钮


说明		触点类型		型号	重量	尺寸
		常开	常闭		(kg)	
	按 - 拉式 红色	Ø40	1	XB2BT42C	0.115	
		Ø60	1	XB2BX42C	0.120	
XB2BT...C						
	转动复位 红色	Ø30	1	XB2BS442C	0.085	
		Ø40	1	XB2BS542C	0.095	
		Ø60	1	XB2BS642C	0.105	
XB2BS...C						
	钥匙复位 (Ronis n°455) 红色	Ø30	1	XB2BS742C	0.130	
		Ø40	1	XB2BS142C	0.140	
		Ø60	1	XB2BS242C	0.160	
XB2BS...C						

选择开关

标准手柄

说明	位置	触点类型		型号	重量	尺寸
		常开	常闭			
 XB2BD...C	2 位		1	XB2BD21C	0.085	
			1 1	XB2BD25C	0.100	
			1	XB2BD41C	0.085	
			1 1	XB2BD45C	0.100	
	3 位		2	XB2BD33C	0.100	
			2	XB2BD53C	0.100	
			2	XB2BD73C	0.100	

长手柄

 XB2BJ...C	2 位		1	XB2BJ21C	0.085	
			1 1	XB2BJ25C	0.100	
			1	XB2BJ41C	0.085	
			1 1	XB2BJ45C	0.100	
	3 位		2	XB2BJ33C	0.100	
			2	XB2BJ53C	0.100	
			2	XB2BJ73C	0.100	



标记说明:  锁定  弹簧返回

XB2B 金属系列按钮指示灯

Ø22 mm

钥匙开关 (Ronis n°455)


钥匙开关

说明	位置	触点类型		型号	重量	尺寸
		常开	常闭			
 XB2BG...C	2 位		1	XB2BG21C	0.110	
			1 1	XB2BG25C	0.125	
			1	XB2BG41C	0.110	
			1 1	XB2BG45C	0.125	
			1	XB2BG61C	0.110	
			1 1	XB2BG65C	0.125	
	3 位		2	XB2BG33C	0.125	
			2	XB2BG53C	0.125	
			2	XB2BG03C	0.125	
			2	XB2BG73C	0.125	




标记说明:  锁定  弹簧返回  钥匙抽出

带灯按钮

平头带灯按钮 (弹簧返回)

电源电压	标志颜色	触点类型		型号	重量	尺寸
		常开	常闭			
 XB2BW...C	交直流 24V 含 LED 灯泡		1	XB2BW31B1C	0.120	
			1	XB2BW33B1C	0.120	
			1	XB2BW34B1C	0.120	
			1	XB2BW35B1C	0.120	
			1	XB2BW36B1C	0.120	
			1	XB2BW31M1C	0.120	
	交流 220V 含 LED 灯泡		1	XB2BW33M1C	0.120	
			1	XB2BW34M1C	0.120	
			1	XB2BW35M1C	0.120	
			1	XB2BW36M1C	0.120	
			1	XB2BW31M1C	0.120	
			1	XB2BW33M1C	0.120	
			1	XB2BW34M1C	0.120	
			1	XB2BW35M1C	0.120	

主令开关


说明		触点类型		型号	重量	尺寸
		常开	常闭			
 XD2PA...CR	2 位 	锁定	2	XD2PA12CR	0.115	
		弹簧返回	2	XD2PA22CR	0.115	
	4 位 	锁定	4	XD2PA14CR	0.145	
		弹簧返回	4	XD2PA24CR	0.145	
		锁定	4	XD2PA14CR	0.145	
		弹簧返回	4	XD2PA24CR	0.145	

XB2E 塑料系列按钮指示灯


Ø22 mm Ø25 mm

按钮

平头按钮

说明	标记 颜色	触点类型		型号	重量	尺寸
		常开	常闭			
 XB2EA...	●	1		XB2EA121	0.020	
		1	1	XB2EA125	0.020	
	●	1		XB2EA131	0.020	
		1	1	XB2EA135	0.020	
	●		1	XB2EA142	0.020	
		1	1	XB2EA145	0.020	
	●	1		XB2EA151	0.020	

平头带灯按钮 (弹簧返回)


电源电压	标记 颜色	触点类型		型号	重量	尺寸
		常开	常闭			
 XB2EW...C	交直流 24V 含 LED 灯泡	1		XB2EW31B1C	0.070	
		1		XB2EW33B1C	0.070	
		1		XB2EW34B1C	0.070	
		1		XB2EW35B1C	0.070	
		1		XB2EW36B1C	0.070	
	交流 220V 含 LED 灯泡	1		XB2EW31M1C	0.070	
		1		XB2EW33M1C	0.070	
		1		XB2EW34M1C	0.070	
		1		XB2EW35M1C	0.070	
		1		XB2EW36M1C	0.070	

XB2E 塑料系列按钮指示灯


Ø22 mm Ø25 mm

急停按钮


急停按钮

	说明	触点类型		型号	重量	尺寸
						
		常开	常闭			
 XB2ES...C	锁扣式 Ø40 mm 蘑菇头 红色 转动复位	1		XB2ES542C	0.070	

选择开关

 XB2ED●●C	说明	位置	触点类型		型号	重量	尺寸
							
			常开	常闭		(kg)	
	2 位锁定		1		XB2ED21C	0.085	
	3 位锁定		2		XB2ED33C	0.100	

钥匙开关

	说明	位置	触点类型		型号	重量	尺寸
							
			常开	常闭		(kg)	
	2 位锁定 左侧钥匙抽出		1		XB2EG21C	0.110	
	3 位锁定 中间钥匙抽出		2		XB2EG33C	0.125	


标记说明:  锁定  弹簧返回  钥匙抽出

XB2B 系列按钮指示灯

Ø22 mm Ø25 mm

指示灯

塑料系列指示灯

	电源电压	标记 颜色	型号	重量 (kg)	尺寸
 XB2BV...C	交直流 24V 含 LED 灯泡	○	XB2BVB1C	0.020	
		●	XB2BVB3C	0.020	
		●	XB2BVB4C	0.020	
		●	XB2BVB5C	0.020	
		●	XB2BVB6C	0.020	
		透明	XB2BVB7C	0.020	
	直流 110V 含 LED 灯泡	○	XB2BVFD1C	0.020	
		●	XB2BVFD3C	0.020	
		●	XB2BVFD4C	0.020	
		●	XB2BVFD5C	0.020	
	交流 110V 含 LED 灯泡	○	XB2BVF1C	0.020	
		●	XB2BVF3C	0.020	
		●	XB2BVF4C	0.020	
		●	XB2BVF5C	0.020	
		●	XB2BVF6C	0.020	
	交流 220V 含 LED 灯泡	○	XB2BVM1C	0.020	
		●	XB2BVM3C	0.020	
		●	XB2BVM4C	0.020	
		●	XB2BVM5C	0.020	
		●	XB2BVM6C	0.020	
		透明	XB2BVM7C	0.020	
	交流 380V 含 LED 灯泡	○	XB2BVQ1C	0.020	
		●	XB2BVQ3C	0.020	
		●	XB2BVQ4C	0.020	
		●	XB2BVQ5C	0.020	
	<380V 直接电源 灯泡需另配	○	XB2BVD1C	0.018	
		●	XB2BVD3C	0.018	
		●	XB2BVD4C	0.018	
		●	XB2BVD5C	0.018	
		●	XB2BVD6C	0.018	
		透明	XB2BVD7C	0.018	

关于产品供货的说明:
所有 XB2B 系列产品以分体模块形式供货, 型号为 ZB2B.....C

关于触点型号标识的说明:
XB2B — □C
□ 完整型号中C前最后一位表示触点类型
1: 1常开 5: 1常开+1常闭
2: 1常闭 6: 1常开 (先通后断)+1常闭
3: 2常开 7: 1常开 (先后接通)+1常开
4: 2常闭 注: 超过2个触点的选型, 请在原型号外, 再添加相应的触点数
 ZB2BE101C (常开)
 ZB2BE102C (常闭)

例: XB2BA11C 如需再扩展二常闭触点, 型号为 XB2BA11C+2个 ZB2BE102C
如需更详尽的产品选型, 请参考其它按钮指示灯选型样本或与我们联系。



施耐德电气(中国)投资有限公司

施耐德电气(中国)投资有限公司	北京市朝阳区将台路2号和乔丽晶中心施耐德大厦	邮编: 100016	电话: (010) 84346699	传真: (010) 84501130
■ 上海分公司	上海市仙霞路319号远东国际广场A座9楼	邮编: 200051	电话: (021) 62351333	传真: (021) 62351238
■ 广州分公司	广州市环市东路403号广州国际电子大厦31楼	邮编: 510095	电话: (020) 87320138	传真: (020) 87321929
■ 武汉分公司	武汉市武胜路泰合广场15层1502室	邮编: 430033	电话: (027) 85712588	传真: (027) 85712688
■ 南京办事处	南京市黄埔路2号黄埔大厦17层A座	邮编: 210016	电话: (025) 4814815	传真: (025) 4814816
■ 南宁办事处	南宁市南湖民族大道111号广西发展大厦12层	邮编: 530022	电话: (0771) 5519761/62	传真: (0771) 5519760
■ 青岛办事处	青岛市香港中路59号国际金融中心24层C室	邮编: 266071	电话: (0532) 5793001	传真: (0532) 5793002
■ 烟台办事处	烟台市南大街9号金都大厦2516室	邮编: 264001	电话: (0535) 3393899	传真: (0535) 3393998
■ 深圳办事处	深圳市深南东路5047号深圳发展银行大厦17层H	邮编: 518001	电话: (0755) 25841022/1488	传真: (0755) 82080250
■ 大连办事处	大连市中山区人民路68号大连宏誉商业大厦2205室	邮编: 116001	电话: (0411) 2822690	传真: (0411) 2822692
■ 福州办事处	福州市五一中路88号平安大厦12层D单元	邮编: 350005	电话: (0591) 7114853	传真: (0591) 7112046
■ 杭州办事处	杭州市凤起路78号浙金广场4楼	邮编: 310003	电话: (0571) 85271466	传真: (0571) 85271305
■ 重庆办事处	重庆市渝中区邹容路68号大都会商厦16楼1603室	邮编: 400010	电话: (023) 63839700	传真: (023) 63839707
■ 西安办事处	西安市高新区科技路48号创业广场B座17层	邮编: 710075	电话: (029) 88332711	传真: (029) 88324697/4820
■ 天津办事处	天津市河西区围堤道125-127号天信大厦13层1305室	邮编: 300074	电话: (022) 28408408	传真: (022) 28408410
■ 长沙办事处	长沙市五一中路68号亚大时代11层1106室	邮编: 410011	电话: (0731) 4585710/11/12/13	传真: (0731) 4585709
■ 昆明办事处	昆明市东风西路123号三和利写字楼14层D座	邮编: 650032	电话: (0871) 3647549/50/58/59	传真: (0871) 3647552
■ 成都办事处	成都市顺城大街308号冠城广场27楼B, C, D, E, F座	邮编: 610017	电话: (028) 86528282	传真: (028) 86528383
■ 乌鲁木齐办事处	乌鲁木齐市新华北路5号美丽华酒店1112室	邮编: 830002	电话: (0991) 2825888-1112	传真: (0991) 2848188
■ 沈阳办事处	沈阳市沈河区青年大街219号华新国际大厦16层G, H, I座	邮编: 110015	电话: (024) 23964339	传真: (024) 23964296/97
■ 济南办事处	济南市冻源大街229号金龙中心主楼21层D座	邮编: 250012	电话: (0531) 6121765	传真: (0531) 6121628
■ 苏州办事处	苏州市干将西路1296号C1区700室	邮编: 215004	电话: (0512) 68622550	传真: (0512) 68622597
■ 宁波办事处	宁波市江东北路1号中信宁波国际大酒店833室	邮编: 315010	电话: (0574) 87716067	传真: (0574) 87724576
■ 合肥办事处	合肥市长江路1104号古井假日酒店820室	邮编: 230001	电话: (0551) 4291993 4299891/92/93/95	传真: (0551) 2206956
■ 郑州办事处	郑州市金水路115号中州假日宾馆1号楼4层	邮编: 450003	电话: (0371) 5939211/12 5935282	传真: (0371) 5939213
■ 哈尔滨办事处	哈尔滨市香坊区中山路93号哈尔滨保利科技大厦612号	邮编: 150036	电话: (0451) 82343219	传真: (0451) 82311103
■ 厦门办事处	厦门市厦禾路189号银行中心2502室	邮编: 361003	电话: (0592) 2386700	传真: (0592) 2386701
■ 石家庄办事处	石家庄市中山东路303号世贸皇冠酒店办公楼12层1201室	邮编: 050011	电话: (0311) 6698713	传真: (0311) 6698723
■ 无锡办事处	无锡市中山路343号东方广场19层D, E, F座	邮编: 214001	电话: (0510) 2752575	传真: (0510) 2755950
■ 长春办事处	长春市解放大路2677号长春光大大厦1211-1212室	邮编: 130061	电话: (0431) 8400302/03	传真: (0431) 8400301
■ 东莞办事处	东莞市南城区宏远路1号宏远酒店806室	邮编: 523070	电话: (0769) 2413010/20	传真: (0769) 2413160
■ 太原办事处	太原市府西街268号力鸿大厦1003室	邮编: 030002	电话: (0351) 4937186/4937025	传真: (0351) 4937029
■ 中山办事处	广东省中山市中山三路18号中银大厦18楼1813室	邮编: 528403	电话: (0760) 8235971/72/73	传真: (0760) 8235979
■ 洛阳办事处	河南省洛阳市中州中路319号金水湾大酒店1002/1003室	邮编: 471000	电话: (0379) 3397162	传真: (0379) 3397161
■ 常州办事处	江苏省常州市局前街2号禧庭楼宾馆1216室	邮编: 213003	电话: (0519) 8130710	传真: (0519) 8130711
■ 佛山办事处	佛山市祖庙路百花广场2823室	邮编: 528000	电话: (0757) 83992619/0029	传真: (0757) 83991312
■ 施耐德(香港)有限公司	香港湾仔港湾道30号新鸿基中心31楼3108-28室		电话: (00852) 25650621	传真: (00852) 28111029
■ 施耐德电气-清华大学 联合培训与研究中心	北京经济技术开发区永昌北路3号709室	邮编: 100176	电话: (010) 62638210/11	传真: (010) 62638212
■ 施耐德电气张江培训中心	上海市龙东大道3000号, 张江高科技园区集成电路产业区8号楼4层	邮编: 201203	电话: (021) 38954699	传真: (021) 58963972

客户支持热线: **800 810 1315**
www.schneider-electric.com.cn (010) 6788 8904

由于标准和材料的变更,文中所述特性和本资料中的图象只有经过我们的业务部门确认以后,才对我们有约束。



本手册采用生态纸印刷